

EU Declaration of Conformity

Product: IEC Miniature Circuit Breakers

Name and address of the manufacturer: Name and address of the authorised representative:

Sprecher + Schuh, Inc. Rockwell Automation B.V. 15910 International Plaza Drive Rivium Promenade 160

Houston, TX 77032 2909 LM Capelle aan den Ijssel

USA The Netherlands

This declaration of conformity is issued under the sole responsibility of the manufacturer.

Object of the declaration: Sprecher + Schuh L8 (Series B)

(reference the attached list of catalogue numbers)

The object of the declaration described above is in conformity with the relevant Union harmonisation legislation:

2014/35/EU Low Voltage Directive (LVD) 2011/65/EU RoHS Directive (RoHS)

References to the relevant harmonised standards used or references to the other technical specifications in relation to

which conformity is declared:

EN 60947-1:2007 + A1:2011+ Low-voltage switchgear and controlgear – Part 1: General rules

A2:2014

EN 60947-2:2006 + A1:2009 + Low-voltage switchgear and controlgear – Part 2: Circuit-breakers

A2:2013

EN 50581:2012 Technical documentation for the assessment of electrical and electronic

products with respect to the restriction of hazardous substances

Signed for and on behalf of the above named manufacturer:

Place and date of issue: Milwaukee, WI USA 29-Jan-2020

Name, function: Daniel L. Nachtigall, Technical Leader – Product Compliance Engineering

Daint L. Nachtigall

Signature:



Catalogue number	Description
L8-x/x/x	IEC miniature circuit breakers per Nomenclature
L8-AST1	Shunt trip, 1260 V AC/DC
L8-AST2	Shunt trip, 110415V AC, 110250V DC

NOMENCLATURE

L8	-	50	/	3	/	D
1		2		3		4

1	Designates Product	Line					
1	L8 – IEC miniature circuit breaker						
5	Designates Current Rating						
	0.5 - 0.5 A	5 - 5 A	13 – 13 A	30 - 30 A			
	1 – 1 A	6 - 6 A	15 – 15 A	32 - 32 A			
	2 - 2 A	7 - 7 A	16 - 16 A	40 - 40 A			
	3 - 3 A	8 - 8 A	20 - 20 A	50 - 50 A			
	4-4 A	10 - 10 A	25 - 25 A	63 - 63 A			
3	Designates Number of Poles						
	1-1 pole						
	2 – 2 pole						
	3 – 3 pole						
4	Designates Trip Code						
	B – Trip Curve B						
	C – Trip Curve C						
	D – Trip Curve D						