

## *EU Declaration of Conformity*

<b>Product:</b>		<b>IEC Switches and Switch-Disconnectors, 12...40A and Accessories</b>
<b>Name and address of the manufacturer:</b>		<b>Name and address of the authorised representative:</b>
<b>Sprecher + Schuh</b>		<b>Rockwell Automation B.V.</b>
<b>15910 International Plaza Drive</b>		<b>Rivium Promenade 160</b>
<b>Houston, TX 77032</b>		<b>2909 LM Capelle aan den IJssel</b>
<b>U.S.A.</b>		<b>The Netherlands</b>
<b>This declaration of conformity is issued under the sole responsibility of the manufacturer.</b>		
<b>Object of the declaration:</b>		<b>Sprecher + Schuh LE2, LA2, LY2, RE-32, RE-40, RA-32, RA-40, RC-32, RC-40 Series and Accessories</b> (reference the attached list of catalogue numbers)
<b>The object of the declaration described above is in conformity with the relevant Union harmonisation legislation:</b>		
<b>2014/35/EU</b>	<b>Low Voltage Directive</b>	<b>(LVD)</b>
<b>2011/65/EU</b>	<b>RoHS Directive</b>	<b>(RoHS)</b>
<b>References to the relevant harmonised standards used or references to the other technical specifications in relation to which conformity is declared:</b>		
<b>EN 60947-3:2009+A1:2012+A2:2015</b>	<b>Low-voltage switchgear and controlgear – Part 3: Switches, disconnectors, switch-disconnectors and fuse-combination units</b>	
<b>EN 60947-5-1:2004+A1:2009</b>	<b>Low-voltage switchgear and controlgear – Part 5-1: Control circuit devices and switching elements – Electromechanical control circuit devices</b>	
<b>EN 50581:2012</b>	<b>Technical documentation for the assessment of electrical and electronic products with respect to the restriction of hazardous substances</b>	
<b>Signed for and on behalf of the above named manufacturer:</b>		
<b>Place and date of issue:</b>	<b>Aarau, Switzerland</b>	<b>20-Sep-2018</b>
<b>Name, function:</b>	<b>Daniel Baumann, Manager – Product Compliance Engineering</b>	
<b>Signature:</b>	<b>i.V. <u>Daniel Baumann</u></b>	

Catalogue number <sup>1</sup>	Series <sup>2</sup>	Description	Directive <sup>3</sup>	
			LVD	RoHS
LE2-##-◇◇◇◇		IEC Switches 12A, 16A, 20A or 25A, 1...6 poles, front mounting	Yes	Yes
LE2-##-◇◇◇◇-❖❖		Complete IEC Switches 12A, 16A, 20A or 25A, 3...4 poles, front mounting	Yes	Yes
LA2-##-◇◇◇◇		IEC Switches 12A, 16A, 20A or 25A, 1...6 poles, base mounting	Yes	Yes
LA2-##-◇◇◇◇-❖❖		Complete IEC Switches 12A, 16A, 20A or 25A, 3...4 poles, base mounting	Yes	Yes
LA2-##-◇◇◇◇-Q		Modular IEC Switches 12A or 16A, 1...6 poles, base mounting	Yes	Yes
LA2-##-◇◇◇◇-QA		Modular IEC Switches 12A or 16A, 1...6 poles, base mounting	Yes	Yes
LY2-##(M)-◇◇◇◇-❖❖		Enclosed IEC Switches 12A, 16A, 20A or 25A, 3...4 poles	Yes	Yes
RE-◇◇-◇◇◇◇-□		IEC Switch-Disconnectors 32A or 40A, 1...6 poles, front mounting, screw fixing	Yes	Yes
RA-◇◇-◇◇◇◇-□		IEC Switch-Disconnectors 32A or 40A, 1...6 poles, base mounting	Yes	Yes
RC-◇◇-◇◇◇◇-□		IEC Switch-Disconnectors 32A or 40A, 1...6 poles, front mounting, central fixing	Yes	Yes
<b>Accessories</b>				
L7-G○○○○○ L2-G○○○○○ LA2-G○○○○○ G○○○○○ P○○○○○		Shafts, Shaft Extensions, Clutches, Levers, etc	N/R	Yes
LL2-A-4-xxx LL2-A-6-xxx LL2-I-4-xxx LL2-I-6-xxx LL2-I-8-xxx LL2-P-4-xxx		Legend Plates	N/R	Yes
LE2-##-C4		3...4 poles Terminal Covers for 12/16A, 20/25A switches, front mounting	N/R	Yes
LA2-##-C4		3...4 poles Terminal Covers for 12/16A, 20/25A switches, base mounting	N/R	Yes
RE-◇◇-C4		3...4 poles Terminal Covers for 32/40A switch-disconnectors, front mounting	N/R	Yes
RA-◇◇-C4		3...4 poles Terminal Covers for 32/40A switch-disconnectors, base mounting	N/R	Yes

- 1) ##: Two digits indicating the current rating: 12A, 16A, 20A or 25A  
 ◇◇: Two digits indicating the current rating: 32A or 40A  
 ◇◇◇◇: Four digits indicating the circuit diagram number and number of poles (last digit)  
 □: One or two letters indicating the style of switch handle (A, B, DC, DD, G or N)  
 ❖❖: One letter and one digit indicating the style of switch handle (A4, A6, G4, G6, N4, N6)  
 ○○○○○: Four or five digits or four digits with one letter indicating the code of the accessory  
 (M): M indicates that the enclosure is provided with a metric size fitting;  
 no suffix at this position indicates that the enclosure is provided with a PG type fitting  
 xxx: Three digits, optionally followed by a letter, indicating the type of inscription on the legend plate
- 2) If no series number is given, then all series are covered.
- 3) Yes = Product is certified to this directive.  
 N/R = This directive is not required for this product.

Catalogue number <sup>1</sup>	Series <sup>2</sup>	Description	Directive <sup>3</sup>	
			LVD	RoHS
Accessories (continued)				
LFC2-A-4-xxx		Switch Handles A, 48 mm by 48 mm, central fixing	N/R	Yes
LFC2-B-001		Switch Handle B, 30 mm diameter, central fixing, without legend plate	N/R	Yes
LFC2-CC-4-xxx LFC2-CD-4-xxx LFC2-CG-4-xxx LFC2-CH-4-xxx LFC2-CK-4-xxx		Switch Handles C, 48 mm by 48 mm, central fixing	N/R	Yes
LFC2-E-4-xxx		Switch Handles E, 48 mm by 48 mm, central fixing	N/R	Yes
LFC2-I-4-xxx		Switch Handles I, 48 mm by 48 mm, central fixing	N/R	Yes
LFC2-L-4-xxx		Switch Handles L, 48 mm by 48 mm, central fixing	N/R	Yes
LFC2-G-6-xxx		Switch Handles G, 67 mm by 67 mm, central fixing	N/R	Yes
LFC2-N-6-xxx		Switch Handles N, 67 mm by 67 mm, central fixing	N/R	Yes
LFS2-A-4-xxx		Switch Handles A, 48 mm by 48 mm, screw fixing	N/R	Yes
LFS2-E-4-xxx		Switch Handles E, 48 mm by 48 mm, screw fixing	N/R	Yes
LFS2-I-4-xxx		Switch Handles I, 48 mm by 48 mm, screw fixing	N/R	Yes
LFS2-L-4-xxx		Switch Handles L, 48 mm by 48 mm, screw fixing	N/R	Yes
LFS2-P-4-xxx		Switch Handles P, 45 mm by 54 mm, screw fixing	N/R	Yes
LFS2-S-4-xxx		Switch Handles S, 48 mm by 62 mm, screw fixing	N/R	Yes
LFS2-A-6-xxx		Switch Handles A, 64 mm by 64 mm, screw fixing	N/R	Yes
LFS2-E-6-xxx		Switch Handles E, 64 mm by 64 mm, screw fixing	N/R	Yes
LFS2-I-6-xxx		Switch Handles I, 64 mm by 64 mm, screw fixing	N/R	Yes
LFS2-L-6-xxx		Switch Handles L, 64 mm by 64 mm, screw fixing	N/R	Yes
LFS2-S-6-xxx		Switch Handles S, 64 mm by 78 mm, screw fixing	N/R	Yes
LFS2-G-6-xxx		Switch Handles G, 67 mm by 67 mm, screw fixing	N/R	Yes
LFS2-N-6-xxx		Switch Handles N, 67 mm by 67 mm, screw fixing	N/R	Yes

- 1) ##: Two digits indicating the current rating: 12A, 16A, 20A or 25A  
 ◇◇: Two digits indicating the current rating: 32A or 40A  
 ◇◇◇◇: Four digits indicating the circuit diagram number and number of poles (last digit)  
 □: One or two letters indicating the style of switch handle (A, B, DC, DD, G or N)  
 ❖❖: One letter and one digit indicating the style of switch handle (A4, A6, G4, G6, N4, N6)  
 ◎◎◎◎◎: Four or five digits or four digits with one letter indicating the code of the accessory  
 (M): M indicates that the enclosure is provided with a metric size fitting;  
 no suffix at this position indicates that the enclosure is provided with a PG type fitting  
 xxx: Three digits, optionally followed by a letter, indicating the type of inscription on the legend plate
- 2) If no series number is given, then all series are covered.
- 3) Yes = Product is certified to this directive.  
 N/R = This directive is not required for this product.