GEFRAN

Solid State Relays

Integral heatsink with DIN-rail mounting

A complete selection of solid state relays are available with a built-in heatsink (GTS/GTZ models). This eliminates the hassle of selecting and installing a properly sized heatsink, or mounting to a panel mount relay directly on the back pan with silicone thermoconductive grease.

Approvals

The Series GQ and GTZ solid state relays are cURus approved and CE marked. The GTZ DIN-rail solid state relays are cULus Listed and CE marked.



- Finger Safe Protection Covers
- AC or DC Input Connections
- AC Output Connection Models
- LED Status Indicator
- Internal MOV protection
- Integrated or optional heatsinks
- cURus, CE
- O cULus, CE

Catalog Number Quick Guide

| GQ- | 15 - | 2 4 | - D | - 1 - | 4 |
|-------------|---|-----------------|-----------------|-------------|------------------|
| Hockey Puck | Nominal Current 15 15A AC 25 25A AC 50 50A AC 90 90A AC | Nominal Voltage | Control Voltage | Overvoltage | 4 Two-pin screw |
| 1-Phase | | 24 230V AC | D 332V DC | 1 Internal | connector, low |
| Panel Mount | | 60 600V AC | A 20260V AC | protection | profile enclosed |

GTS- 25 / 60 - D - 0

| | Rated Current | Rated Voltage | Control Voltage | Alarm Output | Fan |
|-------------------|--|---------------|------------------|--------------|-----------------------------------|
| 1-Phase | 15 15A AC 25 25A AC | 60 600V AC | | 0 None | VEN-90 230V 14W 80x80x40 |
| DIN Rail mount | 40 40A AC 50 50A AC | DISCON | TINUED 60V AC/DC | | VEN-91 115V 14W 80x80x40 |
| | 60 60A AC 75 75A AC 90 90A AC 120 120A AC | | | | Required on 120A mod- els only |

GTZ 40 / 60 - D - 0 - VEN-91

| | Nominal Current | Nominal Voltage | Control Voltage | Alarm Output | Fan |
|------------------------------|-------------------------------------|-----------------|-----------------------------|--------------|--|
| 3-Phase DIN Rail mount | 25 25A AC 40 40A AC 55 55A AC | 60 600V AC | D 532V DC A 20260V AC/DC | 0 None | VEN-90 230V 14W 80x80x40 VEN-91 115V 14W 80x80x40 |
| | | | | | Required on 40A & 55A models only |



Panel Mount "Hockey Puck" Relays and DIN Rail Mounted Solid State Relays up to 120 Amps





With over forty years of experience, Gefran is the world leader in the design and production of solutions for measuring, controlling, and driving industrial production processes. Gefran's knowhow and experience guarantee continuity and tangible solutions. Gefran's line of solid state relays are the ideal solution for applications where high speed switching and long life are essential. In specific applications, solid state relays offer many advantages over electromechanical devices including no moving parts or contact arcing. In addition, solid state relays are directly compatible with logic components such as microprocessors and PLCs.

Broad selection for many applications

The Gefran GQ solid state relays are available in single phase "hockey puck" models up to 90 amps and the GTS DIN-rail single phase units with integral heatsink up to 120 amps. The GTZ three phase models with integral heatsink up to 55 amps are also available.

Opto-isolated input limits current leakage

All Gefran solid state relays feature opto-isolated inputs where an internal LED signals a photosensitive element when output switching is to occur. This provides up to 4,000V isolation between the input voltage and the output voltage and also limits current leakage. This feature is important in certain medical, residential and industrial applications. The Gefran solid state relays also include built-in metal oxide varistor (MOV) protection to protect against internal damage to the solid state relay.

Output Circuit Features

The Gefran solid state relays feature zero voltage turn-on, which means they are designed to turn on at the next zero crossover after application of the control voltage. This limits electromagnetic interference, reducing the chance of damage to downstream equipment. A built-in MOV reduces the likelihood of damage to the relay from rapid changes in voltage (dv/dt) and transient voltages.

Many safety and convenience features

All Gefran solid state relays come standard with an LED to indicate when the relay is in an operational state. This increases safety and speeds troubleshooting.

In addition, all GQ hockey puck type relays come standard with a load side cover that provides touch protection. The GTS DIN-Rail mounted relays also offer touch protection through the use of a removable protective cover plate.

Common Applications

Heating controls

Injection molding machines Semiconductor manufacturing equipment

Glass processing

Welding controls

Food processing

Industrial & commercial ovens

Soldering machines

Medical equipment

Office machinery

Robotics